



MESMERIZING SIZE  
INSPIRED BY NATURE



## ELEVATING SPACES, DEFINING DESIGN & BEYOND



To revolutionise interior and exterior design by providing exceptional big slab tiles that combine innovation, quality, and aesthetics, enhancing spaces with elegance and durability.

Through continuous innovation, sustainable practices, and unmatched craftsmanship, we aim to shape the future of architectural design and elevate living and commercial spaces worldwide.



**GLOSSY, HIGHGLOSS, MATT**

**800x1600 MM**

Due to their substantial size, these slab tiles can be used for various indoor and outdoor applications, including flooring, wall cladding, kitchen countertops, and even large-scale exterior projects. They offer design flexibility and can fit well in modern, contemporary, and minimalist settings.



## **Epic Surfaces, Infinite Possibilities.**

Immerse yourself in the grandeur of nature's canvas with our exquisite large slab tiles. These monumental masterpieces redefine your space, transforming it into a symphony of textures and tones that harmonize with every glance. Each tile is a majestic panorama, an artful fusion of Earth's elements, captured in stone.



## Embrace the Majesty of Big Slabs.

Incorporate these large slab tiles into your living spaces, and you are not just embracing design; you are embracing the essence of wonder itself. They are the embodiment of architectural poetry, an ode to opulence, and an invitation to embark on a journey of aesthetic enlightenment. Let your floors become a testament to your appreciation for the artistry that resides both in nature and in the human spirit.





## APPLICATION AREA

---



SCHOOL AND  
COLLEGE



CORPORATE  
OFFICE



TOILET



RESIDENTIAL



HOTEL AND  
RESTAURANT



OFFICE AND  
LOUNGE



BANK



HOSPITAL




SPA AND  
SALON



CAFÉ

## A STRUCTURAL SELECTION



CLAYARK stands as a leading and inventive enterprise in the sphere of producing oversized, refined porcelain slabs. Their strategy revolves around converting surfaces into artistic canvases. On a worldwide scale, a gap existed between conventional tiles and genuine natural stones. While tiles were confined by their size limitations, stone slabs remained an extravagance for the affluent. CLAYARK has effectively closed that divide by crafting products that skillfully blend elements from both realms.

# GLOSSY SURFACE

800X1600 MM







WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT




CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



## 8161 CALACATTA

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT



CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



**8162 TAJ WHITE**

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT




CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



## 8163 BARSELANO WHITE

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT



CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



**8164 MSK 2024**

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT




CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



## 8165 BARSELANO IVORY

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT



CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



## 8166 CALACUTTA ORO

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT



CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



**8167 SPIDER GREY**

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM 



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT




CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



**8168 MSK 2023**

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM





WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT




CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



**8171 MSK 2006**

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT



CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



**8172 MSK 2013**

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM 



THE TILE MANUFACTURER



WATERPROOF AND NONPOROUS



HYGIENIC, MOLD AND MILDEW RESISTANT



FROST RESISTANT



SCRATCH RESISTANT



ACID AND ALKALI RESISTANT



CHEMICAL RESISTANT



LOW MAINTENANCE



STAIN RESISTANT




## 8173 FENIX GREY

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM 



## 8174 PIETRA NERO

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM 



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT




CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



## 8175 GALAXY WHITE

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM 



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT




CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



## 8176 ONYX SNOW

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM 



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT



CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



## 8177 ZED ONYX WHITE

FINISH  
GLOSSY

SIZE  
800X1600 MM

RANDOM

# HIGH GLOSSY SURFACE

800X1600 MM







WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDREW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT



CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



## 81167 PATAGONIA MINK

FINISH  
HIGH GLOSSY

SIZE  
800X1600 MM

RANDOM

# MATT SURFACE

800X1600 MM





WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT



CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



**8178 BERLINGTON  
SILVER COL**

FINISH  
MATT

SIZE  
800X1600 MM

RANDOM 



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT




CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



## 8179 MORGAN GLARE

FINISH  
MATT

SIZE  
800X1600 MM

RANDOM 



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT



CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



## 8180 SIVER ROOT

FINISH  
MATT

SIZE  
800X1600 MM

RANDOM



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT




CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



## 8181 MICHELE ANGELO

FINISH  
MATT

SIZE  
800X1600 MM

RANDOM



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND ALKALI  
RESISTANT




CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



**8182 MORGAN LEVITY**

FINISH  
MATT

SIZE  
800X1600 MM

RANDOM



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT




CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



**8183 BETHANY WHITE**

FINISH  
MATT

SIZE  
800X1600 MM

RANDOM 





WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT




CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



## 8184 ARMANI CREMA

FINISH  
MATT

SIZE  
800X1600 MM

RANDOM 



WATERPROOF  
AND  
NONPOROUS



HYGIENIC, MOLD  
AND MILDEW  
RESISTANT



FROST  
RESISTANT



SCRATCH  
RESISTANT



ACID AND  
ALKALI  
RESISTANT



CHEMICAL  
RESISTANT



LOW  
MAINTENANCE



STAIN  
RESISTANT



## 8185 TRAVERTINE

FINISH  
MATT

SIZE  
800X1600 MM

RANDOM 

800X  
1600MM

## SPECIFICATION OF PGVT-GVT FLOOR TILES

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	MEAN VALUE PGVT / GVT	TEST METHOD
<b>REGULATORY PROPERTIES</b>			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	GLOSSOMETER
<b>STRUCTURAL PROPERTIES</b>			
Water absorption	< 0.50 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>			
Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
<b>THERMO HYGROMETRIC PROPERTIES</b>			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.5 x 10 <sup>-6</sup>	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
<b>CHEMICAL PROPERTIES</b>			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
<b>SAFETY PROPERTIES</b>			
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	ISO-10545-15

### PACKING DETAILS

SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA (Approx)
800X1600MM	8.5 mm (Approx)	2 Pcs.	2.56 Sq.m.

**Note:** Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.



THE TILE MANUFACTURER

