



MESMERIZING SIZE
INSPIRED BY NATURE



ELEVATING SPACES, DEFINING DESIGN & BEYOND



To revolutionise interior and exterior design by providing exceptional big slab tiles that combine innovation, quality, and aesthetics, enhancing spaces with elegance and durability.

Through continuous innovation, sustainable practices, and unmatched craftsmanship, we aim to shape the future of architectural design and elevate living and commercial spaces worldwide.

POSH, GLOSSY, MATT

790x3000 MM

Due to their substantial size, these slab tiles can be used for various indoor and outdoor applications, including flooring, wall cladding, kitchen countertops, and even large-scale exterior projects. They offer design flexibility and can fit well in modern, contemporary, and minimalist settings.





THE TILE MANUFACTURER



Epic Surfaces, Infinite Possibilities.

Immerse yourself in the grandeur of nature's canvas with our exquisite large slab tiles. These monumental masterpieces redefine your space, transforming it into a symphony of textures and tones that harmonize with every glance. Each tile is a majestic panorama, an artful fusion of Earth's elements, captured in stone.

Embrace the Majesty of Big Slabs.

Incorporate these large slab tiles into your living spaces, and you are not just embracing design; you are embracing the essence of wonder itself. They are the embodiment of architectural poetry, an ode to opulence, and an invitation to embark on a journey of aesthetic enlightenment. Let your floors become a testament to your appreciation for the artistry that resides both in nature and in the human spirit.





APPLICATION AREA



Kitchen countertop &
Islands




Kitchens



Wall Cladding





Stap & Stairs



Flooring

A STRUCTURAL SELECTION



CLAYARK stands as a leading and inventive enterprise in the sphere of producing oversized, refined porcelain slabs. Their strategy revolves around converting surfaces into artistic canvases. On a worldwide scale, a gap existed between conventional tiles and genuine natural stones. While tiles were confined by their size limitations, stone slabs remained an extravagance for the affluent. CLAYARK has effectively closed that divide by crafting products that skillfully blend elements from both realms.

POSH SURFACE

790X3000 MM





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT




CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT



BLACK ANTIQUE

FINISH
POSH

SIZE
790X3000 MM

RANDOM

THICKNESS
15 MM



WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT




CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT



CALACATTA

FINISH
POSH

SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM



WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT




CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT



CALACATTA SUN

FINISH
POSH

SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM



THE TILE MANUFACTURER



WATERPROOF AND NONPOROUS



HYGIENIC, MOLD AND MILDEW RESISTANT



FROST RESISTANT



SCRATCH RESISTANT



ACID AND ALKALI RESISTANT




CHEMICAL RESISTANT



LOW MAINTENANCE



STAIN RESISTANT



GOLDEN SILK WHITE

FINISH
POSH

SIZE
790X3000 MM

RANDOM

THICKNESS
15 MM



WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT



LILLAC

FINISH
POSH

SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM



THE TILE MANUFACTURER



WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT



ONYX BEAM

FINISH
POSH

SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM



WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT

MARQUINA JET

FINISH
POSH

SIZE
790X3000 MM

RANDOM

THICKNESS
15 MM





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT


TAURUS BLACK

FINISH
POSH

SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM



GLOSSY SURFACE

790X3000 MM





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT



CARRARA ARBESCATO

FINISH
GLOSSY

SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM



WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT


SAGA GREY

FINISH
GLOSSY

SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT


SAGA WHITE

FINISH
GLOSSY

SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT

SAGA BIANCO

FINISH
GLOSSY

SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT

PIXEL BIANCO

FINISH
GLOSSY

SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM





THE TILE MANUFACTURER




PIXEL WHITE

FINISH
GLOSSY

SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM



MATT SURFACE

790X3000 MM





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT

SAGA BARLEY

FINISH
MATT

SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM





THE TILE MANUFACTURER



WATERPROOF AND NONPOROUS



HYGIENIC, MOLD AND MILDEW RESISTANT



FROST RESISTANT



SCRATCH RESISTANT



ACID AND ALKALI RESISTANT



CHEMICAL RESISTANT



LOW MAINTENANCE



STAIN RESISTANT



SAGA BIANCO

FINISH
MATT

SIZE
790X3000 MM

RANDOM

THICKNESS
15 MM



WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT


SAGA GREY

FINISH
MATT

SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT

SAGA WHITE

FINISH
MATT











SIZE
790X3000 MM

RANDOM 

THICKNESS
15 MM



PHYSICAL AND CHEMICAL CHARACTERISTICS

	Technical Characteristics	Standard/Test Method	Values LINEA 3mm	Values LINEA 3plus	Values LINEA 5plus	Only on demand	
						Values LINEA 5mm	Values LINEA DOUBLE-LAYER
	Water absorption	ISO 10545-3	≤ 0,05%	≤ 0,05%	≤ 0,05%	≤ 0,05%	≤ 0,05%
	Bending strength	ISO 14617-2	(Depending on the type of support)	(Depending on the type of support)	(Depending on the type of support)	(Depending on the type of support)	≥ 50MPa
	Frost-resistance	ISO 10545-12	KM f25 = 1	KM f25 = 1	KM f25 = 1	KM f25 = 1	KM f25 = 1
	Chemical Resistance to household cleaning products	ISO 10545-13	C4 No visible effect	C4 No visible effect	C4 No visible effect	C4 No visible effect	C4 No visible effect
	Resistance to cold liquids	EN 12720	5 No visible effect	5 No visible effect	5 No visible effect	5 No visible effect	5 No visible effect
	Deep abrasion resistance	ISO 10545-6	30.0 mm.	30.0 mm.	30.0 mm.	30.0 mm.	30.0 mm.
	Scratch resistance	BSEN 15771	5 No visible effect	5 No visible effect	5 No visible effect	5 No visible effect	5 No visible effect
	Release of lead and cadmium	ISO 10545-15	No emission	No emission	No emission	No emission	No emission
	Light Resistance	UNI EN 15187	5 No visible effect	5 No visible effect	5 No visible effect	5 No visible effect	5 No visible effect
	Impact Resistance	ISO 10545-5	(Depending on the type of support)	(Depending on the type of support)	(Depending on the type of support)	(Depending on the type of support)	Mean value = 3J



THE TILE MANUFACTURER

