



THE TILE MANUFACTURER

MESMERIZING SIZE
INSPIRED BY NATURE




ELEVATING SPACES, DEFINING DESIGN & BEYOND



To revolutionise interior and exterior design by providing exceptional big slab tiles that combine innovation, quality, and aesthetics, enhancing spaces with elegance and durability.

Through continuous innovation, sustainable practices, and unmatched craftsmanship, we aim to shape the future of architectural design and elevate living and commercial spaces worldwide.



GLOSSY , MATT

1200x1200 MM

Due to their substantial size, these slab tiles can be used for various indoor and outdoor applications, including flooring, wall cladding, kitchen countertops, and even large-scale exterior projects. They offer design flexibility and can fit well in modern, contemporary, and minimalist settings.

Epic Surfaces, Infinite Possibilities.

Immerse yourself in the grandeur of nature's canvas with our exquisite large slab tiles. These monumental masterpieces redefine your space, transforming it into a symphony of textures and tones that harmonize with every glance. Each tile is a majestic panorama, an artful fusion of Earth's elements, captured in stone.





Embrace the Majesty of Big Slabs.

Incorporate these large slab tiles into your living spaces, and you are not just embracing design; you are embracing the essence of wonder itself. They are the embodiment of architectural poetry, an ode to opulence, and an invitation to embark on a journey of aesthetic enlightenment. Let your floors become a testament to your appreciation for the artistry that resides both in nature and in the human spirit.





FLOORING APPLICATION AREA



SCHOOL AND
COLLEGE



CORPORATE
OFFICE



TOILET



RESIDENTIAL



HOTEL AND
RESTAURANT



OFFICE AND
LOUNGE



BANK



HOSPITAL




SPA AND
SALON



CAFÉ

A STRUCTURAL SELECTION



CLAYARK stands as a leading and inventive enterprise in the sphere of producing oversized, refined porcelain slabs. Their strategy revolves around converting surfaces into artistic canvases. On a worldwide scale, a gap existed between conventional tiles and genuine natural stones. While tiles were confined by their size limitations, stone slabs remained an extravagance for the affluent. CLAYARK has effectively closed that divide by crafting products that skillfully blend elements from both realms.

GLOSSY SURFACE

1200X1200 MM





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT

121272 ARMANI NERO

FINISH
GLOSSY

SIZE
1200X1200 MM

RANDOM 





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT

121275 FLORENCE WHITE

FINISH
GLOSSY

SIZE
1200X1200 MM

RANDOM 





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT

121276 ARMANI BIANCO

FINISH
GLOSSY

SIZE
1200X1200 MM

RANDOM 



121277 VENATO BIANCO

FINISH
GLOSSY

SIZE
1200X1200 MM

RANDOM 





THE TILE MANUFACTURER



WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT

121279 STATUARIO CARA

FINISH
GLOSSY

SIZE
1200X1200 MM

RANDOM 





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT

121280 VERONA GREY

FINISH
GLOSSY

SIZE
1200X1200 MM

RANDOM



MATT SURFACE

1200X1200 MM



121271 GLAMOUR GREY

FINISH
MATT

SIZE
1200X1200 MM

RANDOM 





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT

121273 ANGEL GRIGIO

FINISH
MATT

SIZE
1200X1200 MM

RANDOM 





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT

121274 ANGEL SILVER

FINISH
MATT

SIZE
1200X1200 MM

RANDOM





THE TILE MANUFACTURER

121278 MYSTIC GREY

FINISH
MATT

SIZE
1200X1200 MM

RANDOM 





WATERPROOF
AND
NONPOROUS



HYGIENIC, MOLD
AND MILDEW
RESISTANT



FROST
RESISTANT



SCRATCH
RESISTANT



ACID AND
ALKALI
RESISTANT



CHEMICAL
RESISTANT



LOW
MAINTENANCE



STAIN
RESISTANT

121281 KOBI LIGHT GREY

FINISH
MATT

SIZE
1200X1200 MM

RANDOM



1200X
1200MM

SPECIFICATION OF PGVT-GVT FLOOR TILES

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	MEAN VALUE PGVT / GVT	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	< 0.50 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	ISO-10545-15

PACKING DETAILS

SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA (Approx)
1200X1200MM	9 mm (Approx)	2 Pcs.	2.88 Sq. Mtr.

Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.



THE TILE MANUFACTURER

